

Exhibit E-7

PROTECTION TO WCPX TV SIX

CFR 73.525 July 1992

Docket No. 92-33

Channel 204A at Samsula FL

Educational FM/TV Channel 6 Interference area

Interference	----- WCPX Channel 6 -----	----- Proposed Ch. 204 -----
--- Site ---	C/R 445 m AAT	C/R 45 m AAT
Lat 29-01-53	Latitude: 28-36-08	Latitude: 29-01-53
Lon 81-03-14	Longitude: 81-05-37	Longitude: 81-03-14

Bear. (deg)	Dist (km)	Bear. (deg)	Dist (km)	Haat (m)	ERP (kW)	F.S. (dBu)	U/D (dB)	Bear. (deg)	Dist (km)	Haat (m)	ERP (kW)	F.S. (dBu)
90.0	3.1	8.3	48.1	448	100	75.0	.0	90.0	3.08	49.8	.10	75.0
91.0	3.1	8.3	48.0	448	100	75.0	.0	91.0	3.07	49.7	.10	75.0
92.0	3.1	8.3	48.0	448	100	75.0	.0	92.0	3.07	49.6	.10	75.0
93.0	3.1	8.3	47.9	448	100	75.0	.0	93.0	3.06	49.5	.10	75.0
94.0	3.0	8.3	47.9	448	100	75.1	.0	94.0	3.05	49.4	.10	75.1
95.0	3.0	8.3	47.8	448	100	75.1	.0	95.0	3.05	49.4	.10	75.0
96.0	3.0	8.3	47.8	448	100	75.1	.0	96.0	3.04	49.3	.10	75.1
97.0	3.0	8.3	47.7	448	100	75.1	.0	97.0	3.03	49.2	.10	75.1
98.0	3.0	8.2	47.7	448	100	75.2	.0	98.0	3.02	49.1	.10	75.2
99.0	3.0	8.2	47.6	448	100	75.2	.0	99.0	3.02	49.0	.10	75.2
100.0	3.0	8.2	47.5	448	100	75.2	.0	100.0	3 48.9		.10	75.2
101.0	3.0	8.2	47.5	448	100	75.2	.0	101.0	3.00	48.9	.10	75.2
102.0	3.0	8.2	47.4	448	100	75.3	.0	102.0	3.00	48.8	.10	75.2
103.0	3.0	8.2	47.4	448	100	75.3	.0	103.0	2.99	48.7	.10	75.3
104.0	3.0	8.2	47.3	448	100	75.3	.0	104.0	2.98	48.6	.10	75.3
105.0	3.0	8.2	47.3	448	100	75.3	.0	105.0	2.98	48.5	.10	75.3
106.0	3.0	8.1	47.2	448	100	75.4	.0	106.0	2.97	48.4	.10	75.3
107.0	3.0	8.1	47.2	448	100	75.4	.0	107.0	2.96	48.4	.10	75.4
108.0	3.0	8.1	47.1	448	100	75.4	.0	108.0	2.96	48.3	.10	75.4
109.0	2.9	8.1	47.1	448	100	75.4	.0	109.0	2.95	48.2	.10	75.4
110.0	2.9	8.1	47.0	448	100	75.5	.0	110.0	2.95	48.1	.10	75.4
111.0	2.9	8.1	47.0	448	100	75.5	.0	111.0	2.94	48.0	.10	75.4
112.0	2.9	8.0	46.9	448	100	75.5	.0	112.0	2.93	47.9	.10	75.5
113.0	2.9	8.0	46.9	448	100	75.5	.0	113.0	2.93	47.9	.10	75.5
114.0	2.9	8.0	46.9	448	100	75.5	.0	114.0	2.92	47.8	.10	75.5
115.0	2.9	8.0	46.8	448	100	75.6	.0	115.0	2.91	47.7	.10	75.6
116.0	2.9	7.9	46.8	448	100	75.6	.0	116.0	2.91	47.6	.10	75.5
117.0	2.9	7.9	46.7	448	100	75.6	.0	117.0	2.90	47.5	.10	75.6
118.0	2.9	7.9	46.7	448	100	75.6	.0	118.0	2.90	47.4	.10	75.6
119.0	2.9	7.9	46.6	448	100	75.7	.0	119.0	2.89	47.4	.10	75.6
120.0	2.9	7.8	46.6	448	100	75.7	.0	120.0	2.88	47.3	.10	75.7
121.0	2.9	7.8	46.5	448	100	75.7	.0	121.0	2.88	47.2	.10	75.7
122.0	2.9	7.8	46.5	448	100	75.7	.0	122.0	2.87	47.1	.10	75.7
123.0	2.9	7.7	46.4	448	100	75.7	.0	123.0	2.87	47.0	.10	75.7
124.0	2.9	7.7	46.4	448	100	75.8	.0	124.0	2.86	46.9	.10	75.7
125.0	2.9	7.7	46.4	448	100	75.8	.0	125.0	2.86	46.9	.10	75.7
126.0	2.9	7.6	46.3	448	100	75.8	.0	126.0	2.85	46.8	.10	75.8
127.0	2.8	7.6	46.3	448	100	75.8	.0	127.0	2.84	46.7	.10	75.8
128.0	2.8	7.6	46.2	448	100	75.8	.0	128.0	2.84	46.6	.10	75.8
129.0	2.8	7.5	46.2	448	100	75.9	.0	129.0	2.83	46.5	.10	75.8
130.0	2.8	7.5	46.2	448	100	75.9	.0	130.0	2.83	46.4	.10	75.8
131.0	2.8	7.4	46.1	448	100	75.9	.0	131.0	2.82	46.4	.10	75.9
132.0	2.8	7.4	46.1	448	100	75.9	.0	132.0	2.82	46.3	.10	75.9
133.0	2.8	7.4	46.0	448	100	75.9	.0	133.0	2.81	46.2	.10	75.9
134.0	2.8	7.3	46	448	100	75.9	.0	134.0	2.81	46.1	.10	75.9

Exhibit E-7

Docket No. 92-33

PROTECTION TO WCPX TV SIX
CFR 73.525 July 1992
Channel 204A at Samsula FL

Educational FM/TV Channel 6 Interference area

Interference	----- WCPX Channel 6 -----	----- Proposed Ch. 204 -----
--- Site ----	C/R 445 m AAT	C/R 45 m AAT
Lat 29-01-53	Latitude: 28-36-08	Latitude: 29-01-53
Lon 81-03-14	Longitude: 81-05-37	Longitude: 81-03-14

Bear. (deg)	Dist (km)	Bear. (deg)	Dist (km)	Haat (m)	ERP (kW)	F.S. (dBu)	U/D (dB)	Bear. (deg)	Dist (km)	Haat (m)	ERP (kW)	F.S. (dBu)
135.0	2.8	7.3	46.0	448	100	76.0	.0	135.0	2.80	46.0	.10	75.9
136.0	2.8	7.2	45.9	448	100	76.0	.0	136.0	2.80	46.0	.10	75.9
137.0	2.8	7.2	45.9	448	100	76.0	.0	137.0	2.80	46.0	.10	75.9
138.0	2.8	7.2	45.9	448	100	76.0	.0	138.0	2.79	46.0	.10	76.0
139.0	2.8	7.1	45.8	448	100	76.0	.0	139.0	2.79	46.0	.10	76.0
140.0	2.8	7.1	45.8	448	100	76.1	.0	140.0	2.79	46.0	.10	76.0
141.0	2.8	7.0	45.8	448	100	76.1	.0	141.0	2.79	46.0	.10	76.0
142.0	2.8	7.0	45.7	448	100	76.1	.0	142.0	2.78	46.0	.10	76.1
143.0	2.8	6.9	45.7	448	100	76.1	.0	143.0	2.78	46.0	.10	76.1
144.0	2.8	6.9	45.7	448	100	76.1	.0	144.0	2.78	46.0	.10	76.1
145.0	2.8	6.8	45.6	448	100	76.1	.0	145.0	2.78	46.0	.10	76.1
146.0	2.8	6.8	45.6	448	100	76.1	.0	146.0	2.77	46.0	.10	76.1
147.0	2.8	6.8	45.6	448	100	76.2	.0	147.0	2.77	46.0	.10	76.1
148.0	2.8	6.7	45.5	448	100	76.2	.0	148.0	2.77	46.0	.10	76.1
149.0	2.8	6.7	45.5	448	100	76.2	.0	149.0	2.77	46.0	.10	76.1
150.0	2.8	6.6	45.5	448	100	76.2	.0	150.0	2.77	46.0	.10	76.1
151.0	2.8	6.6	45.5	448	100	76.2	.0	151.0	2.76	46.0	.10	76.2
152.0	2.8	6.5	45.4	448	100	76.2	.0	152.0	2.76	46.0	.10	76.2
153.0	2.8	6.5	45.4	448	100	76.2	.0	153.0	2.76	46.0	.10	76.2
154.0	2.8	6.4	45.4	448	100	76.2	.0	154.0	2.76	46.0	.10	76.2
155.0	2.8	6.3	45.4	448	100	76.3	.0	155.0	2.76	46.0	.10	76.2
156.0	2.8	6.3	45.3	448	100	76.3	.0	156.0	2.76	46.0	.10	76.2
157.0	2.8	6.2	45.3	448	100	76.3	.0	157.0	2.75	46.0	.10	76.3
158.0	2.8	6.2	45.3	448	100	76.3	.0	158.0	2.75	46.0	.10	76.3
159.0	2.8	6.1	45.3	448	100	76.3	.0	159.0	2.75	46.0	.10	76.3
160.0	2.8	6.1	45.3	448	100	76.3	.0	160.0	2.75	46.0	.10	76.3
161.0	2.8	6.0	45.2	448	100	76.3	.0	161.0	2.75	46.0	.10	76.3
162.0	2.8	6.0	45.2	448	100	76.3	.0	162.0	2.75	46.0	.10	76.3
163.0	2.8	5.9	45.2	448	100	76.3	.0	163.0	2.75	46.0	.10	76.3
164.0	2.7	5.8	45.2	448	100	76.3	.0	164.0	2.74	46.0	.10	76.3
165.0	2.7	5.8	45.2	448	100	76.4	.0	165.0	2.74	46.0	.10	76.3
166.0	2.7	5.7	45.1	448	100	76.4	.0	166.0	2.74	46.0	.10	76.3
167.0	2.7	5.7	45.1	448	100	76.4	.0	167.0	2.74	46.0	.10	76.3
168.0	2.7	5.6	45.1	448	100	76.4	.0	168.0	2.74	46.0	.10	76.3
169.0	2.7	5.6	45.1	448	100	76.4	.0	169.0	2.74	46.0	.10	76.3
170.0	2.7	5.5	45.1	448	100	76.4	.0	170.0	2.74	46.0	.10	76.3
171.0	2.7	5.4	45.1	448	100	76.4	.0	171.0	2.74	46.0	.10	76.3
172.0	2.7	5.4	45.1	448	100	76.4	.0	172.0	2.74	46.0	.10	76.3
173.0	2.7	5.3	45.1	448	100	76.4	.0	173.0	2.74	46.0	.10	76.3
174.0	2.7	5.3	45.0	448	100	76.4	.0	174.0	2.74	46.0	.10	76.3
175.0	2.7	5.2	45.0	448	100	76.4	.0	175.0	2.73	46.0	.10	76.4
176.0	2.7	5.1	45.0	448	100	76.4	.0	176.0	2.73	46.0	.10	76.4
177.0	2.7	5.1	45.0	448	100	76.4	.0	177.0	2.73	46.0	.10	76.4
178.0	2.7	5.0	45.0	448	100	76.4	.0	178.0	2.73	46.0	.10	76.4
179.0	2.7	5.0	45.0	448	100	76.4	.0	179.0	2.73	46.0	.10	76.4

Exhibit E-7

PROTECTION TO WCPX TV SIX
CFR 73.525 July 1992
Channel 204A at Samsula FL

Docket No. 92-33

Educational FM/TV Channel 6 Interference area

Interference		----- WCPX Channel 6 -----					----- Proposed Ch. 204 -----					
--- Site ---		C/R 445 m AAT					C/R 45 m AAT					
Lat 29-01-53		Latitude: 28-36-08					Latitude: 29-01-53					
Lon 81-03-14		Longitude: 81-05-37					Longitude: 81-03-14					
Bear. (deg)	Dist (km)	Bear. (deg)	Dist (km)	Haat (m)	ERP (kW)	F.S. (dBu)	U/D (dB)	Bear. (deg)	Dist (km)	Haat (m)	ERP (kW)	F.S. (dBu)
180.0	2.7	4.9	45.0	448	100	76.4	.0	180.0	2.73	46.0	.10	76.4
181.0	2.7	4.8	45	448	100	76.4	.0	181.0	2.73	45.9	.10	76.4
182.0	2.7	4.8	45.0	448	100	76.4	.0	182.0	2.73	45.8	.10	76.4
183.0	2.7	4.7	45.0	448	100	76.4	.0	183.0	2.72	45.7	.10	76.4
184.0	2.7	4.7	45.0	448	100	76.4	.0	184.0	2.72	45.6	.10	76.4
185.0	2.7	4.6	45.0	448	100	76.4	.0	185.0	2.72	45.5	.10	76.4
186.0	2.7	4.5	45.0	448	100	76.4	.0	186.0	2.72	45.4	.10	76.4
187.0	2.7	4.5	45.0	448	100	76.4	.0	187.0	2.71	45.3	.10	76.4
188.0	2.7	4.4	45.0	448	100	76.4	.0	188.0	2.71	45.2	.10	76.4
189.0	2.7	4.4	45.0	448	100	76.4	.0	189.0	2.71	45.1	.10	76.4
190.0	2.7	4.3	45.0	448	100	76.4	.0	190.0	2.71	45.0	.10	76.3
191.0	2.7	4.2	45.0	448	100	76.4	.0	191.0	2.71	44.9	.10	76.4
192.0	2.7	4.2	45.1	448	100	76.4	.0	192.0	2.71	44.8	.10	76.4
193.0	2.7	4.1	45.1	448	100	76.4	.0	193.0	2.71	44.7	.10	76.3
194.0	2.7	4.1	45.1	448	100	76.4	.0	194.0	2.71	44.6	.10	76.3
195.0	2.7	4.0	45.1	448	100	76.4	.0	195.0	2.70	44.5	.10	76.4
196.0	2.7	4.0	45.1	448	100	76.4	.0	196.0	2.70	44.4	.10	76.3
197.0	2.7	3.9	45.1	448	100	76.4	.0	197.0	2.70	44.3	.10	76.3
198.0	2.7	3.8	45.1	448	100	76.4	.0	198.0	2.70	44.2	.10	76.3
199.0	2.7	3.8	45.1	448	100	76.4	.0	199.0	2.69	44.1	.10	76.4
200.0	2.7	3.7	45.2	448	100	76.4	.0	200.0	2.69	44.0	.10	76.3
201.0	2.7	3.7	45.2	448	100	76.3	.0	201.0	2.69	43.9	.10	76.3
202.0	2.7	3.6	45.2	448	100	76.3	.0	202.0	2.69	43.8	.10	76.3
203.0	2.7	3.6	45.2	448	100	76.3	.0	203.0	2.69	43.7	.10	76.3
204.0	2.7	3.5	45.2	448	100	76.3	.0	204.0	2.69	43.6	.10	76.2
205.0	2.7	3.5	45.2	448	100	76.3	.0	205.0	2.68	43.6	.10	76.3
206.0	2.7	3.4	45.3	448	100	76.3	.0	206.0	2.68	43.5	.10	76.3
207.0	2.7	3.3	45.3	448	100	76.3	.0	207.0	2.68	43.4	.10	76.3
208.0	2.7	3.3	45.3	448	100	76.3	.0	208.0	2.68	43.3	.10	76.2
209.0	2.7	3.2	45.3	448	100	76.3	.0	209.0	2.68	43.2	.10	76.2
210.0	2.7	3.2	45.3	448	100	76.3	.0	210.0	2.67	43.1	.10	76.3
211.0	2.7	3.1	45.4	448	100	76.2	.0	211.0	2.67	43.0	.10	76.2
212.0	2.7	3.1	45.4	448	100	76.2	.0	212.0	2.67	42.9	.10	76.2
213.0	2.7	3.0	45.4	448	100	76.2	.0	213.0	2.67	42.8	.10	76.2
214.0	2.7	3.0	45.4	448	100	76.2	.0	214.0	2.67	42.7	.10	76.2
215.0	2.7	2.9	45.5	448	100	76.2	.0	215.0	2.67	42.6	.10	76.1
216.0	2.7	2.9	45.5	448	100	76.2	.0	216.0	2.67	42.5	.10	76.1
217.0	2.7	2.8	45.5	448	100	76.2	.0	217.0	2.66	42.4	.10	76.2
218.0	2.7	2.8	45.5	448	100	76.2	.0	218.0	2.66	42.3	.10	76.1
219.0	2.7	2.7	45.6	448	100	76.1	.0	219.0	2.66	42.2	.10	76.1
220.0	2.7	2.7	45.6	448	100	76.1	.0	220.0	2.66	42.1	.10	76.1
221.0	2.7	2.7	45.6	448	100	76.1	.0	221.0	2.66	42.0	.10	76.1
222.0	2.7	2.6	45.7	448	100	76.1	.0	222.0	2.66	41.9	.10	76.1
223.0	2.7	2.6	45.7	448	100	76.1	.0	223.0	2.66	41.8	.10	76.0
224.0	2.7	2.5	45.7	448	100	76.1	.0	224.0	2.66	41.7	.10	76.0

Exhibit E-7

Docket No. 92-33

PROTECTION TO WCPX TV SIX
CFR 73.525 July 1992
Channel 204A at Samsula FL

Educational FM/TV Channel 6 Interference area

Interference	----- WCPX Channel 6 -----	----- Proposed Ch. 204 -----
--- Site ---	C/R 445 m AAT	C/R 45 m AAT
Lat 29-01-53	Latitude: 28-36-08	Latitude: 29-01-53
Lon 81-03-14	Longitude: 81-05-37	Longitude: 81-03-14

Bear. (deg)	Dist (km)	Bear. (deg)	Dist (km)	Haat (m)	ERP (kW)	F.S. (dBu)	U/D (dB)	Bear. (deg)	Dist (km)	Haat (m)	ERP (kW)	F.S. (dBu)
225.0	2.7	2.5	45.7	448	100	76.1	.0	225.0	2.66	41.6	.10	76.0
226.0	2.7	2.4	45.8	448	100	76.0	.0	226.0	2.66	41.6	.10	76.0
227.0	2.7	2.4	45.8	448	100	76.0	.0	227.0	2.66	41.5	.10	76.0
228.0	2.7	2.4	45.8	448	100	76.0	.0	228.0	2.66	41.5	.10	76.0
229.0	2.7	2.3	45.9	448	100	76.0	.0	229.0	2.66	41.5	.10	76.0
230.0	2.7	2.3	45.9	448	100	76.0	.0	230.0	2.66	41.5	.10	76.0
231.0	2.7	2.2	45.9	448	100	76.0	.0	231.0	2.67	41.5	.10	75.9
232.0	2.7	2.2	46.0	448	100	76.0	.0	232.0	2.67	41.5	.10	75.9
233.0	2.7	2.2	46	448	100	75.9	.0	233.0	2.67	41.5	.10	75.9
234.0	2.7	2.1	46.0	448	100	75.9	.0	234.0	2.67	41.5	.10	75.9
235.0	2.7	2.1	46.1	448	100	75.9	.0	235.0	2.67	41.4	.10	75.9
236.0	2.7	2.0	46.1	448	100	75.9	.0	236.0	2.68	41.4	.10	75.8
237.0	2.7	2.0	46.1	448	100	75.9	.0	237.0	2.68	41.4	.10	75.8
238.0	2.7	2.0	46.2	448	100	75.8	.0	238.0	2.68	41.4	.10	75.8
239.0	2.7	1.9	46.2	448	100	75.8	.0	239.0	2.68	41.4	.10	75.8
240.0	2.7	1.9	46.3	448	100	75.8	.0	240.0	2.68	41.4	.10	75.8
241.0	2.7	1.9	46.3	448	100	75.8	.0	241.0	2.69	41.4	.10	75.7
242.0	2.7	1.8	46.3	448	100	75.8	.0	242.0	2.69	41.3	.10	75.7
243.0	2.7	1.8	46.4	448	100	75.8	.0	243.0	2.69	41.3	.10	75.7
244.0	2.7	1.8	46.4	448	100	75.7	.0	244.0	2.69	41.3	.10	75.7
245.0	2.7	1.7	46.5	448	100	75.7	.0	245.0	2.70	41.3	.10	75.7
246.0	2.7	1.7	46.5	448	100	75.7	.0	246.0	2.70	41.3	.10	75.6
247.0	2.7	1.7	46.5	448	100	75.7	.0	247.0	2.70	41.3	.10	75.6
248.0	2.7	1.7	46.6	448	100	75.7	.0	248.0	2.70	41.3	.10	75.6
249.0	2.7	1.6	46.6	448	100	75.6	.0	249.0	2.71	41.2	.10	75.6
250.0	2.7	1.6	46.7	448	100	75.6	.0	250.0	2.71	41.2	.10	75.6
251.0	2.7	1.6	46.7	448	100	75.6	.0	251.0	2.71	41.2	.10	75.6
252.0	2.7	1.6	46.8	448	100	75.6	.0	252.0	2.71	41.2	.10	75.6
253.0	2.7	1.5	46.8	448	100	75.6	.0	253.0	2.71	41.2	.10	75.5
254.0	2.7	1.5	46.8	448	100	75.5	.0	254.0	2.71	41.2	.10	75.5
255.0	2.7	1.5	46.9	448	100	75.5	.0	255.0	2.71	41.2	.10	75.5
256.0	2.7	1.5	46.9	448	100	75.5	.0	256.0	2.71	41.2	.10	75.5
257.0	2.7	1.5	47.0	448	100	75.5	.0	257.0	2.72	41.1	.10	75.4
258.0	2.7	1.5	47.0	448	100	75.4	.0	258.0	2.72	41.1	.10	75.4
259.0	2.7	1.4	47.1	448	100	75.4	.0	259.0	2.72	41.1	.10	75.4
260.0	2.7	1.4	47.1	448	100	75.4	.0	260.0	2.72	41.1	.10	75.4
261.0	2.7	1.4	47.2	448	100	75.4	.0	261.0	2.73	41.1	.10	75.3
262.0	2.7	1.4	47.2	448	100	75.4	.0	262.0	2.73	41.1	.10	75.3
263.0	2.7	1.4	47.3	448	100	75.3	.0	263.0	2.73	41.1	.10	75.3
264.0	2.7	1.4	47.3	448	100	75.3	.0	264.0	2.73	41.0	.10	75.3
265.0	2.7	1.4	47.3	448	100	75.3	.0	265.0	2.74	41.0	.10	75.2
266.0	2.7	1.4	47.4	448	100	75.3	.0	266.0	2.74	41.0	.10	75.2
267.0	2.7	1.3	47.4	448	100	75.3	.0	267.0	2.74	41	.10	75.2
268.0	2.8	1.3	47.5	448	100	75.2	.0	268.0	2.75	41.0	.10	75.2
269.0	2.8	1.3	47.5	448	100	75.2	.0	269.0	2.75	41.0	.10	75.2

Exhibit E-7

PROTECTION TO WCPX TV SIX

CFR 73.525 July 1992

Docket No. 92-33

Channel 204A at Samsula FL

Educational FM/TV Channel 6 Interference area

Interference		----- WCPX Channel 6 -----						----- Proposed Ch. 204 -----					
--- Site ---		C/R 445 m AAT						C/R 45 m AAT					
Lat 29-01-53		Latitude: 28-36-08						Latitude: 29-01-53					
Lon 81-03-14		Longitude: 81-05-37						Longitude: 81-03-14					
Bear. (deg)	Dist (km)	Bear. (deg)	Dist (km)	Haat (m)	ERP (kW)	F.S. (dBu)	U/D (dB)	Bear. (deg)	Dist (km)	Haat (m)	ERP (kW)	F.S. (dBu)	
270.0	2.8	1.3	47.6	448	100	75.2	.0	270.0	2.75	41.0	.10	75.2	
271.0	2.8	1.3	47.6	448	100	75.2	.0	271.0	2.76	41.0	.10	75.1	
272.0	2.8	1.3	47.7	448	100	75.1	.0	272.0	2.76	41.0	.10	75.1	
273.0	2.8	1.3	47.7	448	100	75.1	.0	273.0	2.76	41.0	.10	75.1	
274.0	2.8	1.3	47.8	448	100	75.1	.0	274.0	2.77	41.1	.10	75.0	
275.0	2.8	1.3	47.8	448	100	75.1	.0	275.0	2.77	41.1	.10	75.1	
276.0	2.8	1.3	47.9	448	100	75.1	.0	276.0	2.78	41.1	.10	75.0	
277.0	2.8	1.3	47.9	448	100	75.0	.0	277.0	2.78	41.1	.10	75.0	
278.0	2.8	1.3	48.0	448	100	75.0	.0	278.0	2.78	41.2	.10	75.0	
279.0	2.8	1.3	48.0	448	100	75.0	.0	279.0	2.79	41.2	.10	74.9	
280.0	2.8	1.3	48.1	448	100	75.0	.0	280.0	2.79	41.2	.10	74.9	
281.0	2.8	1.3	48.1	448	100	74.9	.0	281.0	2.80	41.2	.10	74.9	
282.0	2.8	1.3	48.2	448	100	74.9	.0	282.0	2.80	41.3	.10	74.9	
283.0	2.8	1.3	48.2	448	100	74.9	.0	283.0	2.81	41.3	.10	74.8	
284.0	2.8	1.3	48.3	448	100	74.9	.0	284.0	2.81	41.3	.10	74.8	
285.0	2.8	1.4	48.3	448	100	74.9	.0	285.0	2.81	41.3	.10	74.8	
286.0	2.8	1.4	48.4	448	100	74.8	.0	286.0	2.82	41.4	.10	74.8	
287.0	2.8	1.4	48.4	448	100	74.8	.0	287.0	2.82	41.4	.10	74.8	
288.0	2.8	1.4	48.5	448	100	74.8	.0	288.0	2.83	41.4	.10	74.7	
289.0	2.8	1.4	48.5	448	100	74.8	.0	289.0	2.83	41.4	.10	74.7	
290.0	2.8	1.4	48.6	448	100	74.7	.0	290.0	2.84	41.5	.10	74.7	
291.0	2.8	1.4	48.6	448	100	74.7	.0	291.0	2.84	41.5	.10	74.7	
292.0	2.8	1.4	48.7	448	100	74.7	.0	292.0	2.84	41.5	.10	74.7	
293.0	2.9	1.5	48.7	448	100	74.7	.0	293.0	2.85	41.5	.10	74.6	
294.0	2.9	1.5	48.7	448	100	74.7	.0	294.0	2.85	41.6	.10	74.6	
295.0	2.9	1.5	48.8	448	100	74.6	.0	295.0	2.86	41.6	.10	74.6	
296.0	2.9	1.5	48.8	448	100	74.6	.0	296.0	2.86	41.6	.10	74.6	
297.0	2.9	1.5	48.9	448	100	74.6	.0	297.0	2.86	41.6	.10	74.6	
298.0	2.9	1.5	48.9	448	100	74.6	.0	298.0	2.87	41.6	.10	74.5	
299.0	2.9	1.6	49.0	448	100	74.5	.0	299.0	2.87	41.7	.10	74.5	
300.0	2.9	1.6	49.0	448	100	74.5	.0	300.0	2.88	41.7	.10	74.5	
301.0	2.9	1.6	49.1	448	100	74.5	.0	301.0	2.88	41.7	.10	74.5	
302.0	2.9	1.6	49.1	448	100	74.5	.0	302.0	2.89	41.7	.10	74.4	
303.0	2.9	1.7	49.2	448	100	74.5	.0	303.0	2.89	41.8	.10	74.4	
304.0	2.9	1.7	49.2	448	100	74.4	.0	304.0	2.89	41.8	.10	74.4	
305.0	2.9	1.7	49.3	448	100	74.4	.0	305.0	2.90	41.8	.10	74.4	
306.0	2.9	1.8	49.3	448	100	74.4	.0	306.0	2.90	41.8	.10	74.4	
307.0	2.9	1.8	49.3	448	100	74.4	.0	307.0	2.91	41.9	.10	74.3	
308.0	2.9	1.8	49.4	448	100	74.4	.0	308.0	2.91	41.9	.10	74.3	
309.0	2.9	1.8	49.4	448	100	74.3	.0	309.0	2.91	41.9	.10	74.3	
310.0	2.9	1.9	49.5	448	100	74.3	.0	310.0	2.92	41.9	.10	74.3	
311.0	2.9	1.9	49.5	448	100	74.3	.0	311.0	2.92	42.0	.10	74.3	
312.0	2.9	1.9	49.6	448	100	74.3	.0	312.0	2.93	42.0	.10	74.2	
313.0	2.9	2.0	49.6	448	100	74.3	.0	313.0	2.93	42.0	.10	74.2	
314.0	2.9	2.0	49.6	448	100	74.2	.0	314.0	2.93	42.0	.10	74.2	

Exhibit E-7

PROTECTION TO WCPX TV SIX

CFR 73.525 July 1992

Docket No. 92-33

Channel 204A at Samsula FL

Educational FM/TV Channel 6 Interference area

Interference		----- WCPX Channel 6 -----						----- Proposed Ch. 204 -----					
--- Site ---		C/R 445 m AAT						C/R 45 m AAT					
Lat 29-01-53		Latitude: 28-36-08						Latitude: 29-01-53					
Lon 81-03-14		Longitude: 81-05-37						Longitude: 81-03-14					
Bear. (deg)	Dist (km)	Bear. (deg)	Dist (km)	Haat (m)	ERP (kW)	F.S. (dBu)	U/D (dB)	Bear. (deg)	Dist (km)	Haat (m)	ERP (kW)	F.S. (dBu)	
315.0	2.9	2.0	49.7	448	100	74.2	.0	315.0	2.94	42.1	.10	74.2	
316.0	2.9	2.1	49.7	448	100	74.2	.0	316.0	2.94	42.2	.10	74.2	
317.0	2.9	2.1	49.8	448	100	74.2	.0	317.0	2.95	42.3	.10	74.2	
318.0	3.0	2.2	49.8	448	100	74.2	.0	318.0	2.96	42.4	.10	74.1	
319.0	3.0	2.2	49.8	448	100	74.1	.0	319.0	2.97	42.5	.10	74.1	
320.0	3.0	2.2	49.9	448	100	74.1	.0	320.0	2.97	42.7	.10	74.1	
321.0	3.0	2.3	49.9	448	100	74.1	.0	321.0	2.98	42.8	.10	74.1	
322.0	3.0	2.3	50.0	448	100	74.1	.0	322.0	2.99	42.9	.10	74.1	
323.0	3.0	2.3	50	448	100	74.1	.0	323.0	3.00	43.0	.10	74.0	
324.0	3.0	2.4	50.0	448	100	74.1	.0	324.0	3.00	43.1	.10	74.1	
325.0	3.0	2.4	50.1	448	100	74.0	.0	325.0	3	43.3	.10	74.0	
326.0	3.0	2.5	50.1	448	100	74.0	.0	326.0	3.02	43.4	.10	74.0	
327.0	3.0	2.5	50.2	448	100	74.0	.0	327.0	3.03	43.5	.10	74.0	
328.0	3.0	2.6	50.2	448	100	74.0	.0	328.0	3.03	43.6	.10	74.0	
329.0	3.0	2.6	50.2	448	100	74.0	.0	329.0	3.04	43.7	.10	74.0	
330.0	3.0	2.7	50.3	448	100	74.0	.0	330.0	3.05	43.9	.10	73.9	
331.0	3.1	2.7	50.3	448	100	73.9	.0	331.0	3.06	44.0	.10	73.9	
332.0	3.1	2.8	50.3	448	100	73.9	.0	332.0	3.06	44.1	.10	73.9	
333.0	3.1	2.8	50.4	448	100	73.9	.0	333.0	3.07	44.2	.10	73.9	
334.0	3.1	2.8	50.4	448	100	73.9	.0	334.0	3.08	44.3	.10	73.9	
335.0	3.1	2.9	50.4	448	100	73.9	.0	335.0	3.08	44.4	.10	73.9	
336.0	3.1	2.9	50.4	448	100	73.9	.0	336.0	3.09	44.6	.10	73.8	
337.0	3.1	3.0	50.5	448	100	73.9	.0	337.0	3.10	44.7	.10	73.8	
338.0	3.1	3.1	50.5	448	100	73.8	.0	338.0	3.10	44.8	.10	73.8	
339.0	3.1	3.1	50.5	448	100	73.8	.0	339.0	3.11	44.9	.10	73.8	
340.0	3.1	3.2	50.6	448	100	73.8	.0	340.0	3.12	45.0	.10	73.8	
341.0	3.1	3.2	50.6	448	100	73.8	.0	341.0	3.12	45.2	.10	73.8	
342.0	3.1	3.3	50.6	448	100	73.8	.0	342.0	3.13	45.3	.10	73.8	
343.0	3.1	3.3	50.6	448	100	73.8	.0	343.0	3.13	45.4	.10	73.7	
344.0	3.1	3.4	50.7	448	100	73.8	.0	344.0	3.13	45.5	.10	73.8	
345.0	3.1	3.4	50.7	448	100	73.8	.0	345.0	3.14	45.6	.10	73.7	
346.0	3.2	3.5	50.7	448	100	73.7	.0	346.0	3.15	45.8	.10	73.7	
347.0	3.2	3.5	50.7	448	100	73.7	.0	347.0	3.15	45.9	.10	73.7	
348.0	3.2	3.6	50.8	448	100	73.7	.0	348.0	3.16	46.0	.10	73.7	
349.0	3.2	3.7	50.8	448	100	73.7	.0	349.0	3.17	46.1	.10	73.7	
350.0	3.2	3.7	50.8	448	100	73.7	.0	350.0	3.17	46.2	.10	73.7	
351.0	3.2	3.8	50.8	448	100	73.7	.0	351.0	3.18	46.4	.10	73.7	
352.0	3.2	3.8	50.8	448	100	73.7	.0	352.0	3.19	46.5	.10	73.7	
353.0	3.2	3.9	50.9	448	100	73.7	.0	353.0	3.19	46.6	.10	73.7	
354.0	3.2	4.0	50.9	448	100	73.7	.0	354.0	3.20	46.7	.10	73.6	
355.0	3.2	4.0	50.9	448	100	73.7	.0	355.0	3.20	46.8	.10	73.7	
356.0	3.2	4.1	50.9	448	100	73.7	.0	356.0	3.21	47.0	.10	73.6	
357.0	3.2	4.1	50.9	448	100	73.7	.0	357.0	3.22	47.1	.10	73.6	
358.0	3.2	4.2	50.9	448	100	73.7	.0	358.0	3.22	47.2	.10	73.6	
359.0	3.2	4.3	50.9	448	100	73.7	.0	359.0	3.23	47.3	.10	73.6	

Total interference area: 27.2098 sq km (10.5058 sq mi)

Exhibit E-7

PROTECTION TO WCPX TV SIX

CFR 73.525 July 1992

Docket No. 92-33

Channel 204A at Samsula FL

July 10, 1992

Population Within Coverage Area

Latitude: 29-01-53

Longitude: 81-03-14

#1			
Area of			
Interf.			
bear. Dist.			
(deg)	(km)		
.0	3.2		
5.0	3.3		
10.0	3.3		
15.0	3.3	220.0	2.7
20.0	3.3	225.0	2.7
25.0	3.3	230.0	2.7
30.0	3.3	235.0	2.7
35.0	3.3	240.0	2.7
40.0	3.3	245.0	2.7
45.0	3.3	250.0	2.7
50.0	3.3	255.0	2.7
55.0	3.2	260.0	2.7
60.0	3.2	265.0	2.7
65.0	3.2	270.0	2.8
70.0	3.2	275.0	2.8
75.0	3.1	280.0	2.8
80.0	3.1	285.0	2.8
85.0	3.1	290.0	2.8
90.0	3.1	295.0	2.9
95.0	3.0	300.0	2.9
100.0	3.0	305.0	2.9
105.0	3.0	310.0	2.9
110.0	2.9	315.0	2.9
115.0	2.9	320.0	3.0
120.0	2.9	325.0	3.0
125.0	2.9	330.0	3.0
130.0	2.8	335.0	3.1
135.0	2.8	340.0	3.1
140.0	2.8	345.0	3.1
145.0	2.8	350.0	3.2
150.0	2.8	355.0	3.2
155.0	2.8		
160.0	2.8		
165.0	2.7		
170.0	2.7		
175.0	2.7		
180.0	2.7		
185.0	2.7		
190.0	2.7		
195.0	2.7		
200.0	2.7		
205.0	2.7		
210.0	2.7		
215.0	2.7		

Exhibit E-7
Docket No. 92-33

PROTECTION TO WCPX TV SIX
CFR 73.525 July 1992
Channel 204A at Samsula FL

Population count based on 1990 Census

Title: samsula 100w

Coordinates: 29-01-53 81-03-14

Area of
Interf.

Total Population (1990 Census):

756

Area (Square km):

27.2




Exhibit E-7
World Aero Chart
Docket No. 92-33

PROTECTION TO WCPX TV SIX
CFR 73.525 July, 1992
Channel 204A at Samsula, FL

Mims Ch 204 Interfering

WCPX SITE

WCPX 73.6 dbu
WCPX 76.4 dbu

KILOMETERS	10	20	30	40	50	60	70	80	90	100
NAUTICAL MILES	10	20	30	40	50	60	70	80	90	100
STATUTE MILES	10	20	30	40	50	60	70	80	90	100

Exhibit E-8

Mims Community Radio, Inc.
Amendment to BPED 891127MD
MM Docket No. 92-33
July 1992

RADIO FREQUENCY RADIATION

PROTECTION TO HUMANS

For humans on ground at site: ANSI guidelines in OST Bulletin No. 65, permits up to 50KW erp H&V for an antenna center of radiation of 40.9 meters above ground. The Mims proposal is for 1 KW total ERP at 45.1 meters above ground. Therefore no harm to humans will exist on the ground.

For humans on the tower: As a safety measure, the applicant will adopt as strict policy, the requirement that the transmitter undergo shut-down at any time a worker is required to be on the tower.

Exhibit E-9

Mims Community Radio, Inc.

Amendment to BPED-891127MD
July 1992

CERTIFICATION OF TOWER SITE AVAILABILITY

The owners of the land on which the tower
is proposed were approached on Friday June 19, 1992 and
responded sympathetically to the proposed tower and to
the proposed programming goals.

Has the applicant reasonable assurance, in good faith, that the site or structure proposed in Section V of this form, as the location of its transmitting antenna, will be available to the applicant for the applicant's intended purpose? ☒ Yes ☐ No

If No, attach as an Exhibit, a full explanation.

Exhibit No.
N/A

If reasonable assurance is not based on applicant's ownership of the proposed site or structure, applicant certifies that it has obtained such reasonable assurance by contacting the owner or person possessing control of the site or structure.

Name of Person Contacted Mr and Mrs Roy Hilton

Telephone No. *(include area code)* 904 427 1947

Person contacted: *(check one box below)*

☒ Owner ☐ Owner's Agent ☐ Other *(specify)*



U.S. Department
of Transportation
**Federal Aviation
Administration**

Southern Region

P. O. Box 20636
Atlanta, Georgia 30320

MIMS COMMUNITY RADIO INC.
4955 INTERNATIONAL DRIVE
MIMS, FL 32754

AERONAUTICAL STUDY
No: 92-ASO-1282-OE
Date: 07/01/92

Type Structure: ANTENNA TOWER

This acknowledges receipt of your Notice of Proposed Construction
or Alteration dated 06/25/92.

An aeronautical study will be conducted on the following location:

CITY	STATE	LATITUDE/LONGITUDE	MSL	AGL	AMSL
SAMSULA	FL	29-01-53.00 081-03-14.00	25	199	224

Your proposal has been assigned aeronautical study number
92-ASO-1282-OE. Should there be any question concerning this
proposal, please feel free to contact Armando Castro of the
System Management Branch, ASO-530, Southern Region.
Our office telephone number is (404) 763-7646.

Thank you for participating in the Obstruction Evaluation program.

Attachment B

Before the
Federal Communications Commission
Washington, D.C. 20554

LETTER
Adopted: July 3, 1991

Released: July 17, 1991

James P. Riley, Esq.
Fletcher, Heald & Hildreth
1225 Connecticut Avenue, N.W.
Suite 400
Washington, D.C. 20036-2679

James K. Edmundson, Esq.
Gardner, Carton & Douglas
1001 Pennsylvania Avenue, N.W.
Suite 750
Washington, D.C. 20004

J. Dominic Monahan, Esq.
Dow, Lohnes & Albertson
1255 Twenty-third Street, N.W.
Suite 500
Washington, D.C. 20037

Robert A. Jones
J&K Broadcasters
613 South LaGrange Road
LaGrange, Illinois 60525

In re: Jerry J. Collins File No. BP-880503AE
NEW, Junction City, Oregon.

Jerry J. Collins File No. BP-880531AF
NEW, Troutdale, Oregon.

Bjornstad Broadcasting File No. BP-871028AC
Company
NEW, Eugene, Oregon,

J&K Broadcasters File No. BP-880531AE
NEW, Springfield, Oregon

Gentlemen:

This letter refers to the above-captioned applications for construction permits for new AM radio stations in Junction City and Troutdale, Oregon, filed by Jerry J. Collins ("Collins"); in Eugene, Oregon, filed by Bjornstad Broadcasting Company ("Bjornstad"); and in Springfield, Oregon, filed by J&K Broadcasters ("J&K"). On November 7, 1989, you filed a joint request for approval of a settlement agreement among the parties to the above applications which would result in grants of three of the four applications. On November 29, 1989, May 7, 1990, and

October 23, 1990, this settlement agreement was supplemented by the parties with respect to issues pertaining to Section 307(b) of the Communications Act of 1934, as amended, and Sections 73.3525(b)(1) and 73.3571(j)(1) of the Commission's Rules.

In accordance with Section 73.3525 (a)(1) and (2) of the Rules, the agreement includes the parties' sworn statements of reasons why the settlement agreement is in the public interest and that their applications were not filed for the purpose of carrying out the settlement agreement. The parties state that approval of the agreement is in the public interest because it will remove the conflicts among their applications and will avoid the necessity of a comparative hearing, as well as enable Junction City and Troutdale to receive first transmission service.

The settlement provides that J&K's application will be dismissed in consideration for payment of \$1,000 by Collins and \$5,000 by Bjornstad, and that Bjornstad's application is being amended to specify 840 kHz rather than 860 kHz.¹ The Collins applications for stations at Junction City and Troutdale will be prosecuted as filed. As originally proposed, Bjornstad's use of 860 kHz at Eugene is mutually exclusive with both J&K's Springfield application at 840 kHz and Collins' Troutdale application at 860 kHz, but the Springfield and Troutdale applications are not mutually exclusive with each other. Collins' Junction City application is not mutually exclusive with any of the applications, but it has been included in the settlement agreement by the parties. J&K's proposed dismissal of its application for 840 kHz at Springfield, a community immediately adjacent to Eugene, makes 840 kHz available for use in Bjornstad's amended Eugene application and eliminates the mutual exclusivity between the Eugene and Troutdale applications.

The settlement agreement is subject to the condition that the Commission issue one unified Order which grants all terms of the settlement agreement including: (1) grant of Bjornstad's Eugene application as amended without subjecting it to the Commission's cut-off procedure under Section 73.3571(j)(1) of the Rules;² and (2) dismissal of J&K's Springfield application without requiring republication of local public notice pursuant to Section 73.3525(b)(1) of the Commission's Rules. First, we consider the request for waiver of Section 73.3571(j)(1) of the Commission's Rules. In their May 7, 1990 and October 23, 1990 supplements, the parties contend that it would serve the public interest to allow Bjornstad's amended application to be prosecuted as part of the settlement without being assigned a new file number and being subjected to the Commission's cut-off process.

We find that a grant of a waiver would be in the public interest. First, the amendment eliminates the requirement for a comparative proceeding and permits the immediate grant of three of the four pending applications (Eugene, Troutdale and Junction City), including two applications (Troutdale and Junction City) for first local broadcast service. *See, e.g., Las Americas Communications, Inc., 5 FCC Rcd 1634 (1990), remanded on other grounds, FCC 91-62 (released March 13, 1991) (settlement agreement approved and amendment accepted without subjecting application to cut-off despite applicant's failure to demonstrate strict compliance with "good cause" factors pursuant to Section 73.3522).* Second, all parties have joined in the settlement agreement and, therefore, a waiver would not prejudice competing applicants or cause undue disruption of the Commission's administrative pro-

cesses. See *Gilbert Broadcasting Corp.*, 91 FCC 2d 450 (1982). Third, a grant of a waiver of Section 73.3571(j)(1) would not cause a loss of right of reasonable notice to any theoretical potential applicant or objector, since the applications have already gone through the Commission's cut-off procedure. That procedure apprised potential applicants or objectors of the identities of the applicants, frequencies and locations involved. Fourth, the proposed contours in Bjornstad's amended Eugene application are essentially the same as J&K's proposed contours for Springfield. Thus, the amended Eugene application basically has no greater a preclusive effect on new applications than the Springfield application, which, as noted, was subjected previously to the Commission's cut-off process. To the extent the contours proposed in the applications are not congruent, any differences are no greater than would have been accounted for by a minor amendment to the Springfield application. Such an amendment would not have been placed on local public notice or a cut-off list. Therefore, given the facts and circumstances of this case, we see nothing which militates against allowing Bjornstad to amend its application to specify 840 kHz, and we conclude that a grant of a waiver of Section 73.3571(j)(1) is justified.

Next we consider whether to require republication of notice pursuant to Section 73.3525(b)(1) of the Commission's Rules. Under Section 73.3525(b)(1), when the terms of a settlement agreement include the withdrawal of an application, the Commission shall require republication of local public notice in the community of the withdrawing application if it determines that the application's withdrawal would unduly impede achievement of a fair, efficient and equitable distribution of radio service under Section 307(b) of the Communications Act of 1934, as amended. See, e.g., *Mobile Broadcasting Service, Inc.*, 52 RR 2d 670 (1982).³

In this case, Springfield is the community for which an application will be withdrawn pursuant to the settlement. Springfield currently has three stations licensed to it as a community, and two other stations dual-licensed to Springfield/Eugene. The parties also represent that Springfield, as a community adjacent to Eugene, is served by the seven stations licensed to serve Eugene. Furthermore, as pointed out, the Collins applications for Troutdale and Junction City are proposing first transmission service to their respective communities. Because Springfield is amply served and Troutdale and Junction City will receive first service, we find that the principles embodied in Section 307(b) of the Act are not unduly impeded by the terms of the settlement agreement, and republication therefore will not be required. See *J-Star Broadcasting Co., Inc.*, 74 FCC 2d 432 (1979).

Finally, we note that prior to the settlement, Bjornstad filed petitions to deny against the Junction City, Troutdale, and Springfield applications, which were opposed by Collins and J&K, respectively. Based on the above-mentioned settlement agreement, which withdraws the petitions, and a review of the petitions and responsive pleadings, we find that no substantial and material question of fact remains with respect to the issues raised in the petitions to deny.

Based on the above, we conclude that the parties have complied with the procedural requirements for settlement agreements, and have shown adequate justification for a grant of a waiver of Section 73.3571(j)(1) of the Rules. Further, we conclude that republication is unwarranted

pursuant to Section 73.3525(b)(1) of the Rules. Accordingly, we hereby approve the settlement agreement. Pursuant to the agreement, the petitions to deny filed by Bjornstad and the application for a construction permit for a new AM station in Springfield, Oregon, filed by J&K Broadcasters (File No. BP-880531AE) ARE DISMISSED. Finally, the applications for construction permits for new AM stations in Junction City and Troutdale, Oregon, filed by Jerry J. Collins (File Nos. BP-880503AE, BP-880531AF) and the amended application for a construction permit for a new AM station in Eugene, Oregon, filed by Bjornstad Broadcasting Company (File No. BP-871028AC) ARE GRANTED.

This letter was adopted by the Commission on July 3, 1991.

BY DIRECTION OF THE COMMISSION

Donna R. Searcy
Secretary

FOOTNOTES

¹ The new rule adopted by the Commission which limits settlement payments in cases involving competing applications for construction permits for new broadcast stations is not applicable to agreements such as this one, which was filed prior to the rule's adoption. See *Amendment of Section 73.3525 of the Commission's Rules Regarding Settlement Agreements Among Applicants for Construction Permits* (MM Docket No. 90-263), 6 FCC Rcd 85 (1990), modified on recon., FCC 91-155, 56 Fed. Reg. 28096 (June 19, 1991).

² Under Section 73.3571(j)(1) of the Rules, an amendment to an application for construction permit proposing change of frequency is considered to be a major modification of facilities, subject to assignment of a new file number and placement in the processing line according to the numerical sequence of the new file number. When accepted for filing, such applications are placed on a list published periodically by the Commission which announces a date ("cut-off") on which the listed applications will be considered available and ready for processing and by which all mutually exclusive applications and/or petitions to deny the listed applications must be filed.

³ The Commission's priorities under Section 307(b) are, in order of importance, (1) first aural service (reception service), (2) second aural service, (3) first local service (transmission service), and (4) other public interest considerations. Coequal weight is given to (2) and (3). *Revision of FM Assignment Policies and Procedures*, 90 FCC 2d 88, 91 (1982). The Commission recognized that AM and FM have become joint components of a single aural medium; therefore, these priorities are applicable to both services. *Id.* at 92.

Certificate of Service

I hereby certify that a copy of the foregoing document was this 13th day of July, 1992 delivered by hand delivery to the following:

The Honorable Edward J. Kuhlmann
Administrative Law Judge
Federal Communications Commission
2000 L Street, N.W.
Room 220
Washington, D.C. 20554

James Shook, Esq.
Hearing Division, Mass Media Bureau
Federal Communications Commission
Room 7212
2025 M Street, N.W.
Washington, D.C. 20036

Joseph E. Dunne, III, Esq.
May & Dunne, Chartered
1000 Thomas Jefferson Street, N.W.
Suite 520
Washington, D.C. 20007

Gary S. Smithwick, Esq.
Smithwick & Belendiuk, P.C.
1990 M Street, N.W.
Suite 510
Washington, D.C. 20036

James L. Oyster, Esq. *
Law Offices of James L. Oyster
Route 1, Box 203A
Castleton, Virginia 22716

A. Wray Fitch, III, Esq. *
Gammon & Grange
7th Floor
8280 Greensboro Drive
McLean, VA 22102-3807

Nancy L. Wolf, Esq.
Dow, Lohnes & Albertson
1255 Twenty-third Street, N.W.
Suite 500
Washington, D.C. 20037

Stephen C. Simpson

* By overnight service.